















□□□ □□ □□□ □□□ **Packagaing :**

12 □□ / □□ : □□ □ □□

□□□ □□ : 73X58X35 cm

□ □□ : 6.50 kg

□□□ □□ : 1PCS / PP □□ WTH □□ □□, □□ □□ PER 12 PCS







□□□ □□ □□□ □□ □□ □□ :

□□ **Headform :**

□□□ □□□ □□□ □□□ □□ □□□□ □□□□ □□□ □□ □□□□□□□ □□□□□.

□□ **headform :**

□□ headform □□□ □□□□ □□□ □□□ □□ □ □□□ □□□□ □□□ □□ □□□□□□□.

□□□ **headform :**

□□□ □□□ □□□ considerably □ □□□ □□□□ □□□ □□ □□□□□□□ □□□ □□ □□.

# Helmet Shape 101



## European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

## Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

## Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.

□□□ □□□ □ :

□□□ □□ □□□□□ (□□, □□ □□□, □□ □□ □) □□ □□□ □ □□ □□□ □□□ □□□ □□, □□□□ □□ □□ □□ □□□□□□.

# Our In-house Testing Lab



□□:

□□□ □□□□□□ : □□□ ISO9001, □□ □□, CE □□□ □□□, □□□ □□□ □□ □□□ □□ □ □ □□□ □□ □□□ □□□ □□ □□□ □□□□



# CUSTOMIZE FOR BRAND



Logo style: Dome, Metal, UV-Dart sticker, Water decal.



□□ □□ :

□□ □□ □□ □□ □□ :

□□ □□ → PC □□ □□ → PC □□ □□ → □□ □□ □□ → □□ □□ □□ □□ EPS □□ → EPS - □□ □□ → □□ □□ □□ → □□ □□ → - □□ □□ → □□ □□ □□ → □□□ - □□ □□ → IQC □□ → □□ □□ → □□ □□ □□ → □□□□ □□ □□ → □□ □□ → □□ □□ → □□ → □□ → □□ □□.

# Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing process



semi-finished In-mold helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

□□ □□ :

□□□ □□ □□ □□□□ □□□□□. □□□ □□□ □□□□ □□□ □□□ □ □□□□. □□ □□ □ A□ □□□□□ □□; □□□ □□, □□□ □□ □□ □□ & A□ □□ □□□ □□; □ □□ □□□□. □□ □□ □□ & A□ □□□; □□ □□, □□□ □□□□ □□□ □□ & A□ □□ □ □ □□□□; assistance. Make □□□ □□ □□□ □□ & A; □□!

# SHIPPING

