

Intergrated AU-L01 LED

Product Display



Five color ways



Product Name :

AU-L01 (ZL200720148173.3). LED light, CE mark. 15 LEDs, 4.2V battery, 3.7V battery, 12V battery, 15 LEDs, 15 LEDs, 15 LEDs.

Product Features :

Light weight, comfortable, adjustable, 15 LEDs, 4.2V battery, 3.7V battery, 12V battery, 15 LEDs, 15 LEDs, 15 LEDs.

Product Size :

Product Size :

1. Light weight, comfortable, adjustable.
2. 4.2V battery, 3.7V battery.
3. 15 LEDs, 15 LEDs, 15 LEDs.
4. 12V battery, 3 LEDs, 3 LEDs, 3 LEDs (3 LEDs).
5. 15 LEDs, 15 LEDs.

(b) LED Light :

1. LED 燈管 內 燈珠 數 量 須 滿 LED 燈管 內 燈珠 數量。
2. 3 種 燈管 2. LED 燈管 內 燈珠 數 量 須 滿 LED 燈管 內 燈珠 數量。
- NS. 內 燈珠 數量, 內 燈珠 數量 led.
- B. 內 燈珠 數量 須 滿 LED 燈管 內 燈珠 數量。
- 內 燈珠 數量, LED 燈管 內 燈珠 數量 須 滿 LED 燈管 內 燈珠 數量。
3. 燈管 內 燈珠 數量 須 滿 LED 燈管 內 燈珠 數量。


燈管 內 燈珠 數量 須 滿 LED 燈管 內 燈珠 數量:

燈管 內 燈珠 數量	AU-L01. 燈管 內 燈珠 數量
燈管 內 燈珠 數量	燈管 EPS 內 (燈管 內 燈珠 數量)
燈管 內 燈珠 數量	PC (燈管 內 燈珠 數量) 內 + Intergrided LED 燈管 + LED 燈管 內 燈珠 數量
燈管 內 燈珠 數量	燈管 PC + EPS + 燈管 LED 燈管 + 燈管 內 燈珠 數量
燈管 內 燈珠 數量	CE EN1078.
燈管 內 燈珠 數量	15 燈管 內 燈珠 數量
燈管 內 燈珠 數量	Pantone, 燈管 內 燈珠 數量
燈管 / 燈管 內 燈珠 數量	M 56-58 cm, l 59-62 cm.
燈管 內 燈珠 數量	320g.
燈管 內 燈珠 數量	燈管 - 燈管 內 燈珠 數量, 燈管 - 燈管 內 燈珠 數量, 燈管 內 燈珠 數量 USB LED 燈管, PP 燈管 內 燈珠 數量, 燈管 內 燈珠 數量, 燈管-燈管-燈管
MOQ	300pcs.
燈管 內 燈珠 數量	PP 燈管 + 燈管 內 燈珠 數量 內 燈珠 數量 + MasterCarton.

燈管 內 燈珠 數量 須 滿 LED 燈管 內 燈珠 數量:



Five color ways



LED THREE WORK MODES

- a. First switch, LED back and forth round flash.
- b. The second press the switch, LED overall blinking.
- c. Third switch, LED full light is not flashing.



USB RECHARGER

Lithium battery with charging limit voltage of 4.2V.



HIGH QUALITY VISOR

Protecting eyes from bright sunshine and ensuring safety while cycling.



SOFT WASHABLE PADS

Ergonomic interior padding for comfort and durability.



NYLON STRAP & CHIN STRAP

Designed to limit risk of losing helmet during a fall, side strap-adjustment to assist with a proper fit.



OUR HISTORY:

Over the past 20 years, we have been committed to providing the highest quality cycling gear. Our R & D team has been instrumental in creating the most advanced and innovative cycling gear. Our products are designed to provide the best performance, safety, and comfort. Our products are designed to provide the best performance, safety, and comfort. Our products are designed to provide the best performance, safety, and comfort.

□□, □□ □□ □□ □□, □□□ □□ □□ □□□ □□ □□□ □□ □ □ □□□□...□

NYLON WEBBING					
	PLA2001	PLA2135	PLA2008	PLA2057	PLA2191
	PLA2081	PLA2020	PLA2242	PLA2179	PLA2106
PLA2051	PLA2012	PLA2148	PLA2304	PLA2204	
PLA2034	PLA2041	PLA2273	PLA3880		

					LOGO STICKER

LINING						
	PLA6000	PLA6010-10	PLA6211-02	PLA6325-08	PLA6317	PLA6520

DIVIDER (1)						
	-111	-36	-116	-119	-00	-120
DIVIDER (2)						
	-01	-07	-107	-114	-36	-111
	-116	-106	-117	-113	-105	-110
-00	-115	-109	-112	-104		

						STRAP BUCKLE
-114	-36	-107	-07	-106	-01	
-113	-104	-117	-115	-116	-00	
-112	-111	-109				

BUCKLE						
	-105	-106	-01	-107	-07	-114
-110	-104	-116	-117	-106	-112	
-115	-111	-00	-109	ITW	MAGNET	

SIZE ADJUSTMENT					
	PLA5022	PLA5073	PLA5285	PLA5406	PLA5663
PLA5058	PLA5127-00	PLA5127	PLA5388-13	PLA5388-01	

					VISOR
PLA1213-00	PLA1213	PLA0481-18	PLA0481	PLA0083-09	
PLA0267	PLA0267-07	PLA0872A	PLA0872-113	PLA0083	



The Dial of Adjustment can be interchangeable with LED light

LED Light:

LED Light:

LED Light is a feature that can be used to illuminate the road ahead. It is a small, bright light that can be turned on or off. It is a useful feature for night riding.


LED Light:

LED Light is a feature that can be used to illuminate the road ahead. It is a small, bright light that can be turned on or off. It is a useful feature for night riding.


LED Light:

LED Light is a feature that can be used to illuminate the road ahead. It is a small, bright light that can be turned on or off. It is a useful feature for night riding.


Helmet Shape 101



European Headform
An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.



Generic headform
A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.



Asian headform
A Round shaped helmet is designed for a rider's head with a dimension which is condierably fit for Asians.

Head Shape:

Head shape is a key factor in helmet fit. There are three main types: European (oval), Generic (elliptical), and Asian (round). Each type is designed to fit a specific head shape. It is important to choose a helmet that fits your head shape properly for safety and comfort.

Our testing facilities are fully equipped with state-of-the-art equipment. We have over 30 years of experience in providing comprehensive testing solutions for our clients.

Our In-house Testing Lab



Our:

testing facilities are fully equipped with state-of-the-art equipment. We have over 30 years of experience in providing comprehensive testing solutions for our clients.

CERTIFICATE



CCC CCC CCC :

CCC CCC 係 CCC CCC 認證 15 日 內 完 成 申 請 及 發 證 工 作。 此 項 認 證 係 採 取 抽 樣 檢 驗 方 式 進 行 的， 且 僅 限 於 申 請 時 所 提 供 之 樣 品 及 檢 驗 報 告 內 之 數 據。

CUSTOMIZE FOR BRAND



Logo style: Dome, Metal, UV-Dart sticker, Water decal.



PC PC PC PC PC PC.

PC PC → PC PC PC → PC PC PC → EPS PC PC PC PC → eepsin-mold tooling. → PC in-mold PC
 → PC PC → PC PC → PC PC PC → PC PC PC PC PC PC → IQC PC → PC PC → PC PC PC → PC PC PC PC → PC PC → PC PC
 → PC → PC → PC PC.

Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing process



semi-finished In-mold helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

品質管理 :

品質管理は、製品の品質を確保するために不可欠なプロセスです。製造工程の各段階で厳格な検査を実施し、不良品を早期に発見・修正することで、最終製品の信頼性を向上させます。また、顧客からのフィードバックを積極的に受け取り、製品の改良に役立てています。

SHIPPING

