

**אורורה, אורורה אורורה אורורה אורורה AU-C06 אורורה אורורה אורורה אורורה אורורה אורורה**

**Product Display**



**Five color ways**



אורורה אורורה אורורה אורורה אורורה :

אורורה אורורה	AU-C06 אורורה אורורה אורורה אורורה
אורורה	- אורורה EPS אורורה & A; PC אורורה
אורורה	CE EN1078 אורורה אורורה אורורה
אורורה	13 אורורה
אורורה	אורורה, אורורה אורורה
אורורה / אורורה אורורה	S : 45-50cm; M : 50-55cm; L : 54-58
אורורה	225g
אורורה אורורה	7 אורורה
MOQ	300PCS
אורורה אורורה אורורה	PP אורורה + אורורה אורורה אורורה אורורה + mastercarton

אורורה אורורה אורורה אורורה אורורה:

1. אורורה אורורה 225a. אורורה אורורה אורורה אורורה.
2. - אורורה אורורה : אורורה אורורה אורורה אורורה אורורה אורורה אורורה אורורה.
3. אורורה אורורה PC אורורה, אורורה אורורה אורורה אורורה אורורה.

4. תחת EPS תחת תחת.
- תחת תחת PA. תחת (5).
6. תחת תחת תחת תחת תחת.
7. : CE-EN1078 תחת תחת תחת.

תחת תחת תחת תחת תחת תחת :













## Packaging

12 / : 0 0

: 73X58X35 cm

: 6.50 kg

: 1PCS / PP WTH , PER 12 PCS







□ □□ □□ □□ □□□□□□ □□□ □□□ □□ :

□□ **Headform :**

□□□ □□□ □□□ □□□ □□ □□□□ □□□□ □□□ □□ □□□□□□ □□□□□.

□□ **headform :**

□□ headform □□□ □□□□ □□□ □□□ □□ □ □□□ □□□□ □□□ □□ □□□□□□.

□□□ **headform :**

□□□ □□□ □□□ considerably □ □□□ □□□□ □□□ □□ □□□□□□ □□□ □□ □□.

# Helmet Shape 101



## European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

## Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

## Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is condierably fit for Asians.

□□□ □□□ □ :

□□□ □□ □□□□□ (□□, □□ □□□, □□ □□ □) □□ □□□ □ □□ □□□ □□□ □□□ □□, □□□□ □□ □□ □□ □□□□□□.

# Our In-house Testing Lab



□□:

□□□ □□□□□□ : □□□ ISO9001, □□ □□, CE □□□ □□□, □□□ □□□ □□ □□□ □□ □ □ □□□ □□ □□□ □□□ □□ □□□ □□□□



# CUSTOMIZE FOR BRAND



Logo style: Dome, Metal, UV-Dart sticker, Water decal.



□□ □□ :

□□ □□ □□ □□ □□ :

□□ □□ → PC □□ □□ → PC □□ □□ → □□ □□ □□ → □□ □□ □□ □□ EPS □□ → EPS - □□ □□ → □□ □□ □□ → □□ □□ → - □□ □□ → □□ □□ □□ → □□□ - □□ □□ → IQC □□ → □□ □□ → □□ □□ □□ → □□□□ □□ □□□ → □□ □□ → □□ □□ → □□ → □□ → □□ □□.

# Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing process



semi-finished In-mold helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

□□ □□ :

□□□ □□ □□ □□□□ □□□□□. □□□ □□□ □□□□ □□□ □□□ □ □□□□. □□ □□ □ A□ □□□□□ □□; □□□ □□, □□□ □□ □□ □□ & A□ □□ □□□ □□; □ □□ □□□□. □□ □□ □□ & A□ □□□; □□ □□, □□□ □□□□ □□□ □□ & A□ □□ □ □ □□□□; assistance. Make □□□ □□ □□□ □□ & A; □□!

# SHIPPING

