

[http://www.aurora-helmet.com](#)

[http://www.alibaba.com](#)

AURORA - Your China Helmet Expert,
Alibaba highly recommended supplier!

Customize for brand

QTECH
LAND
zerorh+
zerorh+

1. 2014年12月15日

1. 2014年12月15日

2. 2014年12月15日

3. 2014年12月15日

4. 2014年12月15日

5. 2014年12月15日

6. EPS 1000 10000 100,

7. 1000 10000 : 100 1000 100 100 100; 100 100 100; 1000 10000 100;

8. 100 : CE-CPSC-ASTM-AS / NZS-TUV-EN1078 100 100000 100,

100 / 1000 100 1000 1000 100, 100 100 100 100

CERTIFICATE / AUTHENTICATION



1000 100 1000 1000 1000 100 100 :

100 : PC

100 100 : 1000 100 EPS

100 : L : 55-60CM;

100 : 280g,



Six color ways













Headform

ISO / DIS 6220 headform test results: 22% for LIMAR, SCOTT. Headform test results: 90%.

Helmet Shape 101



European Headform

A long Oval shaped helmet is designed for a rider's head with a dimension which is considerably longer front-to-back than its side-to-side measurement.

Intermediate Oval

An intermediate Oval shaped helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian head form

A Round Oval shaped helmet is designed for a rider's head with a dimension which has an equally long front-to-back measurement as side-to-side measurement.

Packaging




Items per Carton: 12 Pieces/Carton

Package Measurements: 73X58X35 cm

Gross Weight: 6.50 kg


Package Type: 1PCS/PP bag wth color box, 12 PCS PER BROWN CARTON



“Testing Procedures”



The Impact force detected




Field of Vision Testing


Every manufacturing steps at AURORA follows adhere to strict quality parameters and focus on quality throughout the each stagesinvolved. All raw material and semi finished goods at AURORA pass strict quality control. The finished product, helmets at Aurora is then tested and qualified to export to the world.



Static Stability Testing



Head type detection




Head Circumference Testing



Conditioning Tests



Shock Absorbing Capacity



dynamic strength test

CERTIFICATE / AUTHENTICATION



□□□ □□ □□□ □□□ □□□ □□ □□

□□:

□□ □□ □□□□ □□ □□□□□. □□□□ □□ □□□ □□□□ □□□□. □□ □□□ □□□ □□□ □□ □□□□ □□ □□.

□□:

□□ □□□ □□□ □□□□ □□□□ □□□□ □□ □□, □□ □□□ □□□ □□ □□□ □□ □□□□ (□□□□ □□ □□□□ □□). □□ □□□ □□ □□□ □□ □□□□□.

□□:

□□ □□□□ □□□□ □□, □□ □□ □□□ □□□ □□ □□□ □□ □□. □□□□□□, □□ □□ □□□□□ □□□, □□□□ □□□ □□□□□.

□□□ :

□□ □□□□ □□ □□ □□□□□□ □□ □ □□□□□. □□□□□ □□□ - □□ □□□ □□□ □□□ □□□□□ □□ □□□ □ □□□, □□□ □□ □□ □ □□□□□ □. □□□□□□□□ □□ □□□□ □□□ □□□ □□□□ □□.

□□ □□ :

□ □□□ □□□□ □□□□ □□□ □□□□□□ □

□□□□ □□

□□□□ □□□□ □□□□ □□□ □□ □ □ □□□□□□. □□ □□ □□ □□ □□□ □□ □□□ □□ □□ (□ □□ □□□□) □ □□ □. □□ □□□□ □□□ □ □□□ □□ □□, □□□ □□□□ □□□□ □ □□ □□□ □□□□□□.

□ □□□ □□□□ □□□□ □□ □□ □□ □□ □□ □□□□ □□ □□□ □□□ □□□□□□. □□□□ □□□□□□, □□□□ □□ □□ □□ □□□□ (□□□□□□ □□□□ □□□ □□) □□□ □ □□□□ □□□□ □□ □ □□□□□.

□□□□ : □□ □□□□□

□□ □ □□ □□□ □□□□□□ □□□ □□□□□□□□. □□□□□□ □ □□ □□ □□□□ □□ (□□□ □□□□□□□ □□)□ □□□ □□ □□□□ □□ □□ 1 □□□□□. □□□□ □□□□□ □□□□. □□ □□□□□ □□ □□□□□□□□. □□ □□□□□ □□ □□ □□, □□□□□ □□□ □ □□□ □□ □ (□□ □□)□ □□□□□□□.

□□□□ : □□ □□ □□□□□

□□ □, □□□□ □□□□ □□□□□□. □ □□ □□□□□□ □□ □□□, □□ □□ □□□□ □□. □□□□ □□ □□□□□ □□ □□□ □□□□□ □□ □□□□□□□□. □□□□□ □□ □□ □ □□□□□ □□□□ □□□□□ □□□□□. □□□□□□□□, □□ □□ □□ □□ □□ **Chinstrap**. □□□□□ □□□ □□ □□ □□□ □□ □□□ □ □□ □□□□□□□□. □□□□□ □□□□□ □□ □□ □□ □□ □□□ □□ □ □□□□□.

