

NEW ARRIVAL CE EN1384 APPROVAL HORSE RIDING PROTECTION HELMET



CE Certificate

Size: S/M;M/L;L/XL

Weight: 550g

Model Show



□□ □□ □□□ □□□ □□ □□ :

- □□□ □□□□ □□□□ □□□ □□□□, □□□□ □ □□ □□, □□□□.
- □□ □□□ □□ □□□ □□□ □□□ ABS □.
- □□□ □□ EPS □□□ □□□□ □□,
- □□ □□□□ : □□ □□□ □□ □□ □ □; □ □□ □□; □□□ □□□ □□;
- □□ : CE □ EN1384, VG1 □ □□ □□□ □□ □□□□□□□□.

□□ □□□ □□□ □□□ □□ □□ □□ :

□□ □□.	AU-H05
□□	ABS □□ + □□□ EPS, □□□ □□ □ □□ □ □□ □□ □□
□□□	□□ □□□□ □□ □□ (□□ □□ / □□ □)
□□	CE (VG1 01.040 2014-12)
□□ / □□ □□	S (50-56cm), M (55-59cm) L (58-61cm)
□□	□□: S (420 ± 50g), M (450 ± 50g), L (540 ± 50g)
□	□□□ □ □□ □ □ □ □□ □
□	PANTONE
□□ □□	3-7 □ □
MOQ	(500) PCS
□□ □□	□□ □□: □□ □ □□ □ □□ □□
	□□ □□: 9 □ / □□ □□ □□ □□: 67 * 31.5 * 52.5CM

□ □□ □□ □□ □□ □□ □□ :























我們 提供 :

我們 提供 各種 測試 設備 及 服務, 包括 各種 測試 設備 及 服務! 我們 提供 各種 測試 設備 及 服務! 我們 提供 各種 測試 設備 及 服務! 我們 提供 各種 測試 設備 及 服務! 我們 提供 各種 測試 設備 及 服務! 我們 提供 各種 測試 設備 及 服務! 我們 提供 各種 測試 設備 及 服務! 我們 提供 各種 測試 設備 及 服務!

Our In-house Testing Lab



我們:

我們 提供 各種 測試 設備 及 服務: 包括 ISO9001, CE 認證 設備, 各種 測試 設備 及 服務 等 各種 測試 設備 及 服務

CERTIFICATE / AUTHENTICATION



□□ □□ □□□ □□□ □□ :

□□ □□ → PC □□ □□ → PC □□ □□ → □□ □□ □□ → □□ □□ □□ □□ EPS □□ → EPS - □□ □□ → □□ □□ □□ → □□ □□ → - □□ □□ → □□ □□ □□ → □□□ - □□ □□ → IQC □□ → □□ □□ → □□ □□ □□ → □□□□ □□ □□ → □□ □□ → □□ □□ → □□ → □□ → □□ □□.



□ □□□ □□?

---- □□□ □□ □□□ □□ □□ □□

□□ : □□□ □□ □□ □□□ □ □□ □□

OEM & A, ODM : □□□ □□□□□ OEM □ ODM □□□□ □□ □ □ □□□□

R & A, D □ : □□□□□ □□□ □□ □□ □□ □□

□□ : □□□ □□ □□□ □□□ □□ □□□ □□

□□ : □□□ □□□□□ □□ □□□ □□□ □□

□□□ : □□□ □□□□ □□□, □□□□ □□ □□



QUALITY

With strict quality management system and first-class products



OEM&ODM

We can provide OEM and ODM service for customers



R&D TEAM

With professional and strong technical development team



PRICE

We have our own production line, to reduce the price to a minimum



PATENT

We constantly introduce patented technology products



SERVICE

Perfect after-sales service, so customer satisfaction

我們提供專業的技術支持，24小時服務熱線，竭誠為廣大客戶提供優質的3D打印服務。

Turn your idea into a custom concrete product!



R&D Capability



□ □ :

Internatioanl 000000, 0000 & A; 00 000 0 000 00 0 000! 0000 0000 & A 0000 00 00 0000 0000 0 00000; 0000 0000 0 0 00 0000 00 00000! 0000 00 00 00 00 & A0 00000 0000 00; 00 00000, 0000 00 0000 00000 0000 00 0000 0000 0000! 0000 00, 00 00 0000 00000 00 00000!

SHIPPING

