

自行車安全頭盔, 自行車安全頭盔

Product Display



Five color ways



產品特點：

1. 重量僅 225 g, 輕便舒適
2. 內襯: 高密度 EPS 泡棉, 可調節高度及厚度,
3. 採用 PC 材質, 堅固耐用且輕便。
4. 採用 EPS 泡棉, 可調節高度, 可調節, 可調節高度及厚度。
5. 內襯可調節, 可調節高度及厚度, 可調節。
6. 採用高密度 EPS 泡棉。
7. 符合: CE EN1078 安全標準。

產品規格：

產品名稱	AU-C06 自行車頭盔
材質	EPS 泡棉 & PC
標準	CE EN1078
重量	13 克
顏色	Pantone, 可選
尺寸/規格	S: 45-50 cm; M: 50-55 cm; L: 54-58

重量	225 g
颜色	7 色
MOQ	300pcs
包装	PP 盒 + 泡沫内衬 + mastercarton

产品尺寸 重量 颜色 包装:











如何選擇合適的頭盔？

如何 **Headform**:

如何選擇合適的頭盔，需要考慮頭盔的形狀和大小。

如何 **headform**:

如何 headform 需要考慮頭盔的形狀和大小，以及頭盔的顏色和圖案。

如何 **headform**:

如何選擇合適的頭盔，需要考慮頭盔的形狀和大小，以及頭盔的顏色和圖案。

Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.

如何選擇：

如何選擇適合自己的頭盔？這是一個很重要的問題！頭盔的選擇要考慮到頭盔的形狀、尺寸、重量、顏色、品牌等因素。頭盔的形狀要與自己的頭型相符合，尺寸要合適，重量要輕，顏色要好看，品牌要可靠。頭盔的選擇要考慮到頭盔的形狀、尺寸、重量、顏色、品牌等因素。頭盔的形狀要與自己的頭型相符合，尺寸要合適，重量要輕，顏色要好看，品牌要可靠。頭盔的選擇要考慮到頭盔的形狀、尺寸、重量、顏色、品牌等因素。頭盔的形狀要與自己的頭型相符合，尺寸要合適，重量要輕，顏色要好看，品牌要可靠。

Our In-house Testing Lab



☐☐:

☐☐☐ ☐☐☐ ☐☐☐: ☐☐☐ ISO9001, ☐☐ ☐☐, CE ☐☐, ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐

1

[illegible]

CUSTOMIZE FOR BRAND



Logo style: Dome, Metal, UV-Dart sticker, Water decal..



00 00 000 00:

00 000 → PC 00 00 → PC 00 00 → 000 000 00 → 00 00 000 EPS 00 → EPS 0 00 00 → 00 0 00 000 → 00 00 → 0 0
 0 00 → 00 00 00 → 00 0 00 00 → IQC 00 → 0 0 00 → 00 00 00 → 0000 00 000 → 00 00 → 00 00 → 00 → 0 0 → 000
 0 00000.

Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material
by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing
process



semi-finished In-mold
helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection
workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

□ □□:

□ □□ □□□ □□□□.

-□□: □□□ □□ □□ □□ □ □□□□

-OEM & ODM: □□□ □□□ □ □ OEM □ ODM □□□□ □□□ □ □□□□

-R & D □: □□□ □□ □ □ □□ □□ □□□

-□□: □□□ □□ □□□ □□ □□ □□□ □□ □□

-□□: □□□□□ □□ □□ □□ □□

-□□□□: □□ □ □□ □ □□□, □□□□ □□ □□□□

00 00000, 00 00 0 00 000 00 00 0 0 00 0 00! 0000 0000 0000 00 0000 0000 0000 0 00000 & 0000 0000 00 00 0000 0 0 0000
 0! 0000 00 00 00 0000 0000 00000 0000 00, 0000 00 0000 0000 00 00 0000 00 0000! 00 00 00 00 00 0000 00 00 00 00 0 0
 0!

SHIPPING

