

- 00 00: 00 0
- **||||: < 8**
- □□: EPS
- [] [], [] [], EN1078
- 🔲 (g): 225 g
- 0: 000, 00, 00, 00, 000, 00, 00, 00
- []: XS(45-50CM), S(50-55cm), M(54-58cm), XS(45-50CM), S(50-55cm), M(54-58cm)
- 000 00: 0 0, 00 (00)
- 000 00: 000
- [] []: AU-C06 [] [] []
- 🖂 🖂 EN 1078 🖂 🖂
- D: D (1 D)
- □□: 225 g
- 00: 6 00 000
- 000: 000, 000, 000 00, 00, 000
- □: Grossy
- MOQ□ OEM □□□: 500 pc

□□ EN 1078 □□ □□□

2. 🔲 🗓



	OD EN 1078 OD OOD OO OO
--	-------------------------

□: XS(45-50CM), S(50-55cm), M(54-58cm)

□□ PC-□

EPS 🛛

MOQ 500 PC

□□ □ EN 1078

00 00 00	10-15 [] [] [] []
	3 🛮 🖂

חח חח חח חח







 $\square\square$ Headform:

 $\hfill\Box\hfill\Box$ headform:

 $\hfill \square \hfill$ headform:

 $\begin{picture}(2000)($

Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is condierably fit for Asians.

Production Procedure

Assembly line

Inside labeling



Installed counters



Packing

Warehourse