

□□ □□ □□

- □□ □□: □□ □
- □□□: < 8
- □□: EPS
- □□: □ □, □ □, EN1078
- □□ (g): 225 g
- □: □□□, □□, □□, □□, □□□, □□, □□, □□
- □□: XS(45-50CM), S(50-55cm), M(54-58cm), XS(45-50CM), S(50-55cm), M(54-58cm)
- □□□ □□: □ □, □□ (□□)
- □□□ □□: □□□
- □□ □□: AU-C06 □□ □□ □□
- □□ □□: □□ EN 1078 □□ □□□
- □□: □□ (1 □□)
- □□: 225 g
- □□: 6 □□ □□□
- □□□: □□□, □□□, □□□ □□, □□, □□□
- □: Grossy
- MOQ □ OEM □□□: 500 pc

□□ □ □□

□□ EN 1078 □□ □□□

- □□ □□: 1. PP □ □, PVC □ □; □□ □□, □□ □□ □ □□□ □□ □□□ □□□□.
2. □□ □□

□□ □□ □□: □□□□□ 30 □,□□ □□ □□ □□

□□ □□

□□ □□ □□

| | |
|-------|-------------------------------------|
| □□ □□ | □□ EN 1078 □□ □□□ □□ □□ □□ |
| □□: | XS(45-50CM), S(50-55cm), M(54-58cm) |
| □ | □□□, □□, □□, □□ |
| □□ | PC-□ EPS □□ |
| MOQ | 500 PC |
| □□ | □ □ EN 1078 |

□□ □ □□ □□

| | |
|-----------|-----------------|
| □□ □□ □□ | □□□ □□□ □□ |
| □□ □□ □□ | 10-15 □ □ □□ □□ |
| □□□ □□ □□ | □□□ 1.5 □ |
| □□□ □□ □□ | 3 □ □□ |

□□ □□

□□□ □□ T/T

□□□ □□□ □□ □□







□□ Headform:

□□□ □□□ □□□ □□ □□ □□□□ □□□ □ □□ □□.

□□ headform:

□□ headform □□□ □□□□ □□ □□ □-□□ □□□-□-□□□ □□ □□□ □□□ □ □□ □□□□□□.

□□□ headform:

□□□ □□□ □□ A □□ condierably □□□□ □□□ □ □□ □□□□□ □□.

Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.

00 00

00 000 000 00 00, 2012 00 22 0 000 00.

00 00 0000 00 000 000 00 0000000.

000 00, 00000 00, 00 000 000 000 00 0 00 000 00.

OEM ODM 000 0000000. 000 00 0 R & D 0 00 000 00 1 00 00 0000 000000.

99% 00 0 000 00 000 000000, 00, 00, 00 0000.

00 00 00 0 0 00 000 00 00 00 0 000 000 0000 000 0 00.

000 0000 000 00 00 0 00 00 00. Inmold 00 00 0000 00 00

00 00 00 000 000 000000 00 0000. <http://www.helmetsupplier.com>

Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material
by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing
process



semi-finished In-mold
helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection
workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters