

安全头盔, 安全头盔, 安全头盔



安全头盔 安全头盔:

1. 重量, 235 g 重量 重量 重量
2. 3 个 个 个: 个 个 个 个 个 个 个 个, 个 个, 个 个 个 个,
3. 个 个: 个 个 个 个, 个 个 个 个 个 个,
4. 个 PC 个
5. 个 EPS 个 个 个 个

6. 印刷 仕様: 印刷 仕様 1 印刷 仕様 印刷 仕様; 印刷 仕様 印刷; 印刷 仕様 印刷;

7. 印刷: CE EN1078 印刷 仕様 印刷 印刷

印刷 仕様 印刷 印刷:

印刷 仕様: PC
印刷 仕様: 印刷 印刷 EPS
印刷: M/L 54-61 CM;
印刷: 235 g
印刷: 印刷
印刷: Headring 印刷, 印刷 印刷 印刷, 印刷 印刷 印刷 印刷 印刷 印刷 印刷 印刷.

印刷 仕様 印刷 印刷:

印刷 印刷	AU B32 印刷 印刷 印刷
印刷	印刷 印刷 EPS 印刷 & PC 印刷
印刷	CE EN1078
印刷	19 印刷 印刷
印刷	Pantone, 印刷 印刷
印刷/印刷 印刷	M/L 54-61 CM
印刷	235 g
印刷 印刷	7 印刷
MOQ	300pcs
印刷 印刷 印刷	PP 印刷 + 印刷 印刷 印刷 印刷 + mastercarton

印刷 印刷 印刷 印刷 印刷 印刷:











☐☐ Packagaing

☐☐ ☐ ☐☐: 12 ☐ ☐☐/☐☐

☐☐☐ ☐☐: 73 X 58 X 35 cm

☐ ☐☐: 6.50 kg

☐☐☐ ☐☐: 1PCS/PP wth ☐ ☐☐, ☐☐☐ ☐☐ ☐ 12 PC





□□ □□□ □□ □□□ □□□ □□:

□□ **headform:**

□□□ □□□ □□□ □□□ □□ □□□ □□□ □ □ □□ □□.

□□ **headform:**

□□ □□ □□□ □□ □ □-□□ □□□ □□□ □□□ □□□ □□ □□ □□□□□.

□□□ **headform:**

□□□ □□□ □□ condierably□ □□□ □□□ □□□ □ □ □□ □□□ □□

Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.

Helmet Size Chart:

Size is measured in inches (cm, mm, mm) and is the distance from the front of the head to the back of the head, not the side-to-side measurement.

Our In-house Testing Lab



☐☐:

☐☐☐ ☐☐☐ ☐☐☐: ISO9001, ☐☐, ☐☐, ☐☐☐☐☐ ☐☐ ☐☐☐ ☐☐☐ ☐☐ ☐☐ ☐☐☐ ☐☐ ☐☐☐ ☐☐ ☐☐☐ ☐☐☐ ☐☐☐

1

[illegible]

CUSTOMIZE FOR BRAND



Logo style: Dome, Metal, UV-Dart sticker, Water decal..



□□□ □□:

□□□ □□ □□□ □□:

□□ □□□ → PC □□ □□ → PC□ □□□ □□ → □□□□ □□□ □□ → □□ □□ □□ EPS□ □ □□ → □□-□□ EPS → □ □□ □□ □□□ → □□□ □□
 □ → -□□ □□ → □□□ □□ □□ → □□ □□ □ □□ □□ → IQC □□ → □□□ □ □ → □□ □□ □□ → □□□□ □□ □□□ → □□ □□ → □□ □□ → □
 □ → □ □ → □□ □□□□□.

Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material
by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing
process



semi-finished In-mold
helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection
workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

□ □□:

□ □□ □□□ □□□□.

-□□: □□□ □□ □□ □□□ □ □□ □□□□

-OEM & ODM: □□□ □□□ □ □□ OEM □ ODM □□□□ □□□ □ □□□□

-R & D □: □□□ □□ □ □ □□ □□ □□□

-□□: □□□ □□ □□□ □□□ □□ □□□ □□ □□

-□□: □□□□□ □□ □□ □□ □□

-□□□: □□ □ □□ □ □□□, □□□ □□ □□□

WHY US



QUALITY

With strict quality management system and first-class products



OEM&ODM

We can provide OEM and ODM service for customers



R&D TEAM

With professional and strong technical development team



PRICE

We have our own production line, to reduce the price to a minimum



PATENT

We constantly introduce patented technology products



SERVICE

Perfect after-sales service, so customer satisfaction

如何付款:

如何付款 我们接受 电汇 信用证: DHL, UPS, 快递 德邦, TNT, EMS 我们 接受 支票 电汇 信用证.

11

