[illegible]

AURORA
100% HEAD PROTECTION

EN1078
CE Certificate

Super Light Bicycle Helmet 26 vents (Model:AU–B01)

Factory Facilities

1) Foam material-import from US, Austria...

2) Steam boiler—3 sets, one is 6 ton, the other is 10 ton

3) Automatic molding machine—80 sets

4) Screen printing machine from Germany

5) Test Lab-We work intensively with the third party test lab-SGS

Website: http://www.aurorasport.com

□□ □□□ □□□ □□ :

-□□□ □□□, □□ □□ □□ □□ □ □□□□□ □□□ □□ □□, □□ □□□ □□ □□□ □□□ □□ □□.

-3 □□ □□ □□□:□ □□□□□ □□ □□ □□□ □□□ □□□ □□ □□ □□, □□□□□ □ □□ □□.

-□□ □□, □ □□□ □□ □□, □□ □□ □□ □□.

-□□□ □□□□□: □□ □□ □ □ □□ □□□ □ □□□ □□.

-□□□ □□-□□□□□ □□ □□ □□ PC □□.

-□□ □□ □□ EPS □□□ □□□□□ □□

-□□□ □□□: □□ □□□ □ □□□ □□ □□ □□□; □□ □□ □□; □□ □□□ □□;

-□□: CE EN1078 □□ □□□ □□ □□

□□ □□ □□□ □□:

□□ □□	AU BM01 □□ □□□ □□
□□	EPS □□ & PC □ □□ □ □□ □□
□□	CE EN1078
□□□	24 □□ □□□
□	Pantone, □□□ □□
□□/□□ □□	M (52-58 CM) L (54-61 CM)
□□	250 g
□□ □□	7 □
MOQ	300pcs
□□□ □□ □□	PP □□ + □□ □□ □□ □□ + mastercarton

□□ □□ □□ □□□ □□:

HIGH TECH & PERFORMANCE HEAD GEAR

HIGH TECH & PERFORMANCE HEAD GEAR

HIGH TECH & PERFORMANCE HEAD GEAR

HIGH TECH & PERFORMANCE HEAD GEAR

HIGH TECH & PERFORMANCE HEAD GEAR

HIGH TECH & PERFORMANCE HEAD GEAR

HEAD GEAR
HIGH TECH &

PERFORMANCE HEAD GEAR



□□ □□ □□ □□□ □□:

□□ Headform:

□□□ □□□ □□□ □□□ □□ □□□ □□□□ □□□ □ □ □□ □□.

□□ headform:

□□ headform □□□ □□□□ □□ □□ □-□□ □□□-□-□□□ □□ □□□ □□□ □ □ □□ □□□□□.

□□□ headform:

□□□ □□□ □□ A □□ condierably□ □□□□ □□□ □ □ □□ □□□□□ □□.


Helmet Shape 101
European Headform
An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.
Generic headform
A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.
Asian headform
A Round shaped helmet is designed for a rider's head with a dimension which is condierably fit for Asians.

□□□ □□□ □:

□□ □□□ □□ □□ □□□ □□ □□ □□□ □□□ □□□□□□ □□ □□ □□□ □□ □□□ □□□□ □□! □ □□□ □□ □□□□ □□ □□ □□ □□ □□□ □□□□ □□□ □□ □□□ □□□□ & □□□! □□□ □□□ □□□□□ □□□ □□□ □□□ □□ □□ □□ □ □□□ □□ □□□ □□ □□ □ 3 □□ □□ □□□ □□ □□□□ □□□ □ □□ □□ □□ □ □□□□!

□□:

□□□ □□□ □□□: □□□ ISO9001, □□ □□, CE □□, □□□ □□□ □□□ □□ □□□ □□ □□□ □□□ □□ □ □□□ □□ □□□ □□□

CERTIFICATE

□□ □□□ □□□:

□□□ □□□ □□□ □□ □□□ □□□ □□ □□ 15 □ □□ □□ □□ □□□□□□. □□ □□ □ R & D □ □□ □□, □□□ □□□ □□ □ □ □□ □ □□ □ □ □□□□ □ □ □□□□ □ □□□ □□ □□ □□□□□ □□ □ □□□□.

CUSTOMIZE FOR BRAND

Logo style: Dome,Metal,UV-Dart sticker,Water decal..

□□ □□ □□□ □□:

□□ □□□ → PC □□ □□ → PC □□ □□ → □□□ □□□ □□ → □□ □□ □□□ EPS □□ → EPS □ □□ □□ → □□ □ □□ □□□ → □□ □□ → □ □ □ □□ → □□ □□ □□ → □□ □ □□ □□ → IQC □□ → □ □ □□ → □□ □□ □□ → □□□□ □□ □□□ → □□ □□ →□□ □□ → □□ → □ □ → □□□ □ □□□□□.

Production Procedure
AURORA
1
Silk screen
2
PC blister tooling
3
PC blister manufacture
4
Trmming dug hole
5
Eps raw material by different density
6
EPS in-mold tooling
7
Helmet in-mold workshop
8
In-mold machines
9
In-mold tooling
10
In-mold producing process
11
semi-finished In-mold helmet
12
IQC inspection
13
Helmet grinding
14
Inner padding production
15
Plastic injection workshop
16
Assembly line
17
Inside labeling
18
Packing
19
Warehourse
20
Installed counters

□□ □□:

□□ □□□□□, □□ □□ □ □□ □□□ □□ □□ □ □ □□ □ □□! □□□ □□□ □□□ □□ □□□ □□□ □□□ □ □□□□ & □□□ □□□ □□ □□ □□□ □ □ □□□ □! □□□ □□ □□ □□ □□□ □□□ □□□□ □□□ □□, □□□ □□ □□□ □□□ □□ □□ □□□ □□ □□□! □□ □□ □□ □□ □□ □□□ □□ □□ □□ □□ □ □ □!

SHIPPING