

Road Cycling Cycling Competition Travel Riding Take-away Deliverymen bicycle helmet AU-R11



The specification of bicycle helmet:

Model No.	AU-R11
Material	EPS PC ABS Silicone
Certification	CE EN 1078/ CPSC/ RoHs/ FCC
Vents	24 air vents
Color	White, black, pink, green, blue
size/head circumference	58-61CM

Weight	360g
Certification	CE EN 1078/ CPSC/ RoHs/ FCC

The description of bicycle helmet:

- Well-ventilated, with very cooling air tunnel and reasonable aero shape design.
- Three-dimensional duct design: This design is very aerodynamic drag coefficient is small , in the process of riding , people wear more cool.
- In-mold technology, when the helmet by the impact , the entire helmet uniform force.
- Removable brim: Block the sun and block the rain when speed riding.
- The high quality eco-friendly high temperature resistant PC shell.
- The high density black EPS material is imported from American,
- The bicycle accessories: adjustable chin strap with quick-release buckle; rear lock adjustment; cool comfortable pads;
- Certification: CE-EN1078 certified for impact protection.

The detail pictures of bicycle helmets:











Your one stop for custom designed and printed helmet from short runs to bulk orders.
















1. OEM service: We can put your Logo/trademark on CE approved constructions industrial safety helmets with visor.
2. Customized service:
 - (1) Customized logo: send the logo in AI form and the detail to us.
 - (2) Customized style: Send the artwork in PDF form or other forms to us.
 - (3) Customized accessories: one stop service and multicolor approved.
3. Business Share: Constantly new product share: patent adjuster, magnetic buckle...

NYLON WEBBING					
	PLA2001	PLA2135	PLA2008	PLA2057	PLA2191
	PLA2081	PLA2020	PLA2242	PLA2179	PLA2106
	PLA2051	PLA2012	PLA2148	PLA2304	PLA2204
	PLA2034	PLA2041	PLA2273	PLA3880	

										LOGO STICKER

LINING						
	PLA6000	PLA6010-10	PLA6211-02	PLA6325-08	PLA6317	PLA6520

DIVIDER (1)						
	-111	-36	-116	-119	-00	-120
DIVIDER (2)						
	-01	-07	-107	-114	-36	-111
	-116	-106	-117	-113	-105	-110
	-00	-115	-109	-112	-104	

	-114		-36		-107		-07		-106		-01
	-113		-104		-117		-115		-116		-00
	-112		-111		-109						
STRAP BUCKLE											

BUCKLE						
	-105	-106	-01	-107	-07	-114
	-110	-104	-116	-117	-106	-112
	-115	-111	-00	-109	ITW	MAGNET

SIZE ADJUSTMENT					
	PLA5022	PLA5073	PLA5285	PLA5406	PLA5663
	PLA5058	PLA5127-00	PLA5127	PLA5388-13	PLA5388-01

					VISOR
PLA1213-00	PLA1213	PLA0481-18	PLA0481	PLA0083-09	
PLA0267	PLA0267-07	PLA0872A	PLA0872-113	PLA0083	

Packaging information

Items per Carton: 12 Pieces/Carton

Package Measurements: 73X58X35 cm

Gross Weight: 6.50 kg

Package Type: 1PCS/PP bag with color box, 12 PCS PER BROWN CARTON

Packaging




Items per Carton: 12 Pieces/Carton

Package Measurements: 73X58X35 cm

Gross Weight: 6.50 kg

Package Type: 1PCS/PP bag with color box, 12 PCS PER BROWN CARTON



The head circumference knowledge of climbing helmet:

European Headform:

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

Generic headform:

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian headform:

A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.



Our Test lab:

Even though we have considered every necessary elements to enhance the body structure in design, but we still use the professional equipment to inspect every aspects of our product! Our advanced in-house testing lab was built according to EN1078, EN397, EN12492, CPSC, etc. testing requirements. Before our mass production or send it to third-party testing organization, we check the quality ourselves & make sure they are qualified!

Our In-house Testing Lab



Certification:

Below is our certificate :we have ISO9001 ,letters patent ,CE documents ,and we have our own lab to make sure every our product can meet the testing requirements

CERTIFICATE / AUTHENTICATION



The helmet production procedure is as below:

silk screen → PC blister tooling → PC blister manufacture → Trimming dug hole → EPS raw material by different density → EPS in-mold tooling → helmet in-mold workshop → in-mold machines → in-mold tooling → in-mold producing process → semi-finished in-mold helmet → IQC inspection → helmet grinding → inner padding production → plastic injection workshop → assembly line → inside labeling → packing → warehouse → installed counters.



Why choose us?

----because we have so many advantages

Quality: with strict quality management system and first-class products

OEM&ODM: We can provide OEM and ODM service for customers

R&D team: With professional and strong technical development team

Price: We have our own production line, to reduce the price to a minimum

Patent: We constantly introduce patented technology products

Service: Perfect after-sales service, so customer satisfaction



QUALITY

With strict quality management system and first-class products



OEM&ODM

We can provide OEM and ODM service for customers



R&D TEAM

With professional and strong technical development team



PRICE

We have our own production line, to reduce the price to a minimum



PATENT

We constantly introduce patented technology products



SERVICE

Perfect after-sales service, so customer satisfaction

The delivery express:

International express, air freight & sea transportation are all can be well arranged here! You can pick every possible transportation that you want & we will do our best to assist you! We have already built a long-term relationship with different shipping companies & shipping agent, all our efforts aim at providing you the best shipping experience! Choose us, it will be easy to keep the helmets safe all the time!

SHIPPING

