

## **Company information**

Shenzhen Aurora Sports Goods Co., LTD established in the year of 2012, more than 22 years experience.

Expert in production of all kinds of helmet light for different sports.

Excellent quality, reasonable price, fast delivery makes us get very good reputation among our customers.

Expert in OEM and ODM orders. Our skilled R&D team offers one stop service for throughout customers.

99% export and our main market is North America, European, Australia, Japan etc.

Your enquiry is very welcomed and we will try our utmost to help you establish solid market.

We are looking for long term relationship and get win win situation.

Why choose us?

---because we have so many advantages

Quality: with strict quality management system and first-class products

OEM&ODM: We can provide OEM and ODM service for customers

R&D team: With professional and strong technical development team

Price: We have our own production line, to reduce the price to a minimum

Patent: We constantly introduce patented technology products

Service: Perfect after-sales service, so customer satisfaction

## WHY US



Logo style: Dome, Metal, UV-Dart sticker, Water decal..



### QUALITY

With strict quality management system and first-class products



### OEM&ODM

We can provide OEM and ODM service for customers



### R&D TEAM

With professional and strong technical development team



### PRICE

We have our own production line, to reduce the price to a minimum



### PATENT

We constantly introduce patented technology products



### SERVICE

Perfect after-sales service, so customer satisfaction

## The advantages of bike helmet light :

1. it's super lightest, only 220g, and well-ventilated,
2. Beetle animals helmet struction, fixed beetle shape and special attractive design.
3. in-mould technology: seamless , when the helmet by the impact , the entire helmet uniform force,
4. Thicken PC shell ,protection would be sharply increased.
5. High density gray EPS material, light weight, Shock resistance, provide reliable protection .
6. with patent adjustment headlock buckle , PA webbing, washable pads, detachable visor.
7. Lining Pad equipped with hot-pressing technology.
8. Certification: CE-EN1078 certified for impact protection,

## Specification of adventure helmets

| Item | content | optional |
|------|---------|----------|
|------|---------|----------|

|                                       |   |   |
|---------------------------------------|---|---|
| 1.Product Name                        | Road Kids Toy Bike Helmet   | Casual helmet,racing helmet,road bike helmet,mountain bike helmet,city bike helmet, cross country helmet,                         |
| 2.Model Number                        | AU-C04  |   |
| 3.Material                            | EPS liner+PC shell in mold technology   | EPS gray material, EPS+ABS helmet, adjustable chin strap with quick-release buckle; rear lock adjustment; cool comfortable pads , |
| 4.Color                               |   | any pantone color   |
| 5. Weight                             | 195g  |   |
| 6.Head Circumference                  | XS: (46-50cm);<br>S/M(51-56cm);M/L(56-61cm)   | standard adult size or children size  |
| 7.Logo                                | sticker   | Printing,watermark, heat transfer, etc.   |
| 8.MOQ                                 | 1000pcs   |   |
| 9.Carton Size                         | 65cm*57cm*46cm  | 72cm*57c*59cm   |
| 10.Packing                            | 1pcs/ppb/inner box  | 10pcs master ctn  |
| 11.Price Term                         | FOB   |   |
| 12.Shipping Method                    | By sea or by air  | express   |
| 13.Payment Terms                      | Paypal  | T/T, Western Union,L/C  |
| 14.Sample time                        | 4-7 days  | after we receive your sample details  |
| 15.Production Lead Time               | 20-30 days approx   | after your confirmation to pre-production samples,and also according to your order quantity.                                      |
| 16.Gender                             | Unisex  | both for boys and girls, we can make according to client's requested pantone color number.  |
| 17.Main market                        | europa, American, Canada, Japan, Korea  |   |
| 18.Our international quality standard | CE EN1078   |   |
| 19.Our Strength                       | <ol style="list-style-type: none"> <li>1. Full sets of Testing Certificate</li> <li>2. Fast making the sample</li> <li>3. Good price with first class quality</li> <li>4. Durable and long time service life</li> <li>5. High effect for protection</li> <li>6. Delivery on time</li> </ol> |   |

**[Detail pictures of Road Kids Toy Bike Helmet:](#)**











### Personalized parts

---

***We can accept the personalized helmet components based on your favorite, no need extra cost and open new mold.***









|                  |         |         |         |         |         |
|------------------|---------|---------|---------|---------|---------|
| NYLON<br>WEBBING |         |         |         |         |         |
|                  | PLA2001 | PLA2135 | PLA2008 | PLA2057 | PLA2191 |
|                  |         |         |         |         |         |
|                  | PLA2081 | PLA2020 | PLA2242 | PLA2179 | PLA2106 |
|                  |         |         |         |         |         |
| PLA2051          | PLA2012 | PLA2148 | PLA2304 | PLA2204 |         |
|                  |         |         |         |         |         |
| PLA2034          | PLA2041 | PLA2273 | PLA3880 |         |         |

|  |  |  |  |  |                 |
|--|--|--|--|--|-----------------|
|  |  |  |  |  | LOGO<br>STICKER |
|  |  |  |  |  |                 |
|  |  |  |  |  |                 |
|  |  |  |  |  |                 |

|        |         |            |            |            |         |         |
|--------|---------|------------|------------|------------|---------|---------|
| LINING |         |            |            |            |         |         |
|        | PLA6000 | PLA6010-10 | PLA6211-02 | PLA6325-08 | PLA6317 | PLA6520 |

|                |      |      |      |      |      |      |
|----------------|------|------|------|------|------|------|
| DIVIDER<br>(1) |      |      |      |      |      |      |
|                | -111 | -36  | -116 | -119 | -00  | -120 |
| DIVIDER<br>(2) |      |      |      |      |      |      |
|                | -01  | -07  | -107 | -114 | -36  | -111 |
|                |      |      |      |      |      |      |
|                | -116 | -106 | -117 | -113 | -105 | -110 |
|                |      |      |      |      |      |      |
| -00            | -115 | -109 | -112 | -104 |      |      |

|      |      |      |      |      |     |  |
|------|------|------|------|------|-----|--|
|      |      |      |      |      |     |  |
| -114 | -36  | -107 | -07  | -106 | -01 |  |
|      |      |      |      |      |     |  |
| -113 | -104 | -117 | -115 | -116 | -00 |  |
|      |      |      |      |      |     |  |
| -112 | -111 | -109 |      |      |     |  |

|        |      |      |      |      |        |      |
|--------|------|------|------|------|--------|------|
| BUCKLE |      |      |      |      |        |      |
|        | -105 | -106 | -01  | -107 | -07    | -114 |
|        |      |      |      |      |        |      |
| -110   | -104 | -116 | -117 | -106 | -112   |      |
|        |      |      |      |      |        |      |
| -115   | -111 | -00  | -109 | ITW  | MAGNET |      |

|                    |            |         |            |            |         |
|--------------------|------------|---------|------------|------------|---------|
| SIZE<br>ADJUSTMENT |            |         |            |            |         |
|                    | PLA5022    | PLA5073 | PLA5285    | PLA5406    | PLA5663 |
|                    |            |         |            |            |         |
| PLA5058            | PLA5127-00 | PLA5127 | PLA5388-13 | PLA5388-01 |         |

|            |            |            |             |            |       |
|------------|------------|------------|-------------|------------|-------|
|            |            |            |             |            | VISOR |
| PLA1213-00 | PLA1213    | PLA0481-18 | PLA0481     | PLA0083-09 |       |
|            |            |            |             |            |       |
| PLA0267    | PLA0267-07 | PLA0872A   | PLA0872-113 | PLA0083    |       |

## Standard Headform

---

European Headform:

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

Generic headform:

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian headform:

A Round shaped helmet is designed for a rider's head with a dimension which is condierably fit for Asians.

# Helmet Shape 101



### European Headform

A long Oval shaped helmet is designed for a rider's head with a dimension which is considerably longer front-to-back than its side-to-side measurement.

### Intermediate Oval

An intermediate Oval shaped helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

### Asian head form

A Round Oval shaped helmet is designed for a rider's head with a dimension which has an equally long front-to-back measurement as side-to-side measurement.

## Our QC/QA system

---

We have strict quality management system in each step of the production process. And will keep each

helmet in mass production will be strictly according to the quality and design of the pre-production sample.

## Strictly QC before shipment



**PRO. Q.C. SYSTEMS**  
Asia – Europe – America

e-mail: [technical@proqc.com.hk](mailto:technical@proqc.com.hk)  
<http://www.proqc.info>

| Final Inspection Report   |      | No.: GZHG1302003863CE |          |  |
|---|------|-----------------------|----------|--|
| RESULTS   |      |                       |          |  |
| Based upon the results presented, the inspected lot is judged to have been:     | PASS | REJECTED              | PENDING  |  |
|   |      | √                     |          |  |
| INSPECTION CHECK POINTS   |      |                       |          |  |
| CHECK POINTS  | OK   | NOK                   | COMMENTS |  |
| 1 <b>PACKING</b>  | √    |                       |          |  |
| 1.1 Export carton size  | √    |                       |          |  |
| 1.2 Export carton CBM   | √    |                       |          |  |
| 1.3 Carton Gross Weight   | √    |                       |          |  |
| 1.4 Carton Net Weight   | √    |                       |          |  |
| 1.5 Quantity per export carton  | √    |                       | 12       |  |
| 1.6 Unit packing: The unit is put in a pp bag and then packed in the color box. | √    |                       |          |  |
| 1.7 Color box printing: with logo   | √    |                       |          |  |
| Model number  | √    |                       |          |  |
| Product feature in Italian/Spanish/English                                      | √    |                       |          |  |
| CE mark   | √    |                       |          |  |
| Warning mark  | √    |                       |          |  |
| Manual  | √    |                       |          |  |
| Made in China label   | √    |                       |          |  |
| EAN barcode.  | √    |                       |          |  |
| Is a barcode scanner available? (YES/NO)  | √    |                       |          |  |
| Rating labels stuck on the unit   | √    |                       |          |  |
| Production date on the EPS liner  | √    |                       |          |  |


### In-House Test Lab

Even though we have considered every necessary elements to enhance the body structure in design, but we still use the professional equipments to inspect every aspects of our product! Our advanced in-house testing lab was built according to EN1078, EN397, EN12492, CPSC, etc. testing requirements. Before our mass production or send it to third-party testing organization, we check the quality ourselves & make sure they are qualified!

# “Testing Procedures”



The Impact force detected



Field of Vision Testing


Every manufacturing steps at AURORA follows adhere to strict quality parameters and focus on quality throughout the each stagesinvolved. All raw material and semi finished goods at AURORA pass strict quality control. The finished product, helmets at Aurora is then tested and qualified to export to the world.



Static Stability Testing



Head type detection



Head Circumference Testing



Conditioning Tests



Shock Absorbing Capacity



dynamic strength test

# CERTIFICATE / AUTHENTICATION



We provide a wide range of payment terms. You can choose the best method to fulfill the payment. In order to improve the shipping efficiency & reduce the cost, we have built a long relationship with international shipping companies & big shipping agents. According to your helmet order quantity & shipping requirements, we can provide you the best suggestion & assistance. Make every step with us secure & satisfied!



### PAYMENT

- We accept T/T ,Western Union or Paypal before production
- If buyers have any problems about payment , please contact us ASAP



### SHIPPING

- 3-15 working days since payment receipt (based on actual quantity)
- Tracking No. will be sent to you after delivery . And you will get every important shipping status by email.



### FAQ

#### 1. Do you offer OEM service ?

We accept OEM orders for all our helmets production lines, including client's logos and labels. After many years of exploration and development, we are sure we can meet all your requirements. we also have powerful R&D capabilities , just tell us your ideas, our R&D team can turn your idea into the concrete products, and help you to pass the relative testing standards, ensure the smoothly mass production, also help you to achieve profit maximization.

## **2. Do you offer ODM SERVICE?**

Yes, To meet different customers' needs, usually we reinvest 20% of our annual revenue for new product development. Supported by a team of 15-20 highly-qualified engineers, we design and develop new public molds every season. About 5 to 6 new models are released every month, which always become increasingly popular after launch.

## **3. Can you supply with a small quantity order ?**

Yes, we keep some inventory with complete color ways for cater your diversity needs, we can accept to mix the colors with a small quantity.

## **4. What's your Sample Policy ?**

We offer charged samples according to the clients' requirements. The samples will be shipped to you within 24 hours after order confirmation (if without any logo). The samples are delivered by couriers with freight collect.

## **5. How to guarantee clients interests?**

a. After you approved the sample, before you place an order and pay for the deposit, cordially welcome

you to pay a visit to our factories, we are sure that you will be greatly impressed by what we have and what we can do.

b. Before the delivery, we support our clients to arrange the third party to inspect the quality of the goods, If mass production is not same as approved sample, we will take the fully responsibility.

c. If we do not ship on time, we will make up your loss.

We cherish every clients, every clients can enjoy our VIP service at any time.

## **6. Can you do custom packaging for my product?**

Yes, Color box can be printed with your logo and your local language.

## **7. What's the shipment method do you offer?**

A. For sample order, we use courier like DHL, UPS, TNT, FEDEX, EMS. DHL is our prefer. You can also arrange your forwarder pick the goods from us. we also ship goods via china post for

Brazil and Russia customers, it is easy to clear customs.

B. For huge order, sea cargo is the best choice.

### **8. What is your payment method?**

T/T. Paypal. Western Union.